California Regional Water Quality Control Board
North Coast Region

MONITORING AND REPORTING
PROGRAM ORDER NO. R1-2000-18

FOR THE

STATE OF CALIFORNIA, DEPARTMENT OF FISH AND GAME
AND THE
UNITED STATES BUREAU OF RECLAMATION

TRINITY RIVER SALMON AND STEELHEAD HATCHERY

Trinity County

Effluent Monitoring

Discharge 002

1. Representative samples of effluent shall be collected from the discharge line as near as practicable to the point of discharge.

2. Insofar as practicable, sampling shall be scheduled to coincide with pond cleaning operations.

3. The following schedule of sampling and analysis shall constitute the effluent monitoring program:

Constituent	Units	Type of sample	Sampling Frequency
Suspended Solids	mg/l	8 hour composite	quarterly
Settleable Solids	mg/l	grab	quarterly
pH	pH Units	grab	quarterly
Flow	mgd	----	continuous"

Discharge 003 and 004

1. Samples shall be collected at the outlet of the respective rearing pond system.

2. Insofar as practicable, sampling shall be scheduled to coincide with pond cleaning operations.

3. The following schedule of sampling and analysis shall constitute the effluent monitoring program:

Constituent	Units	Type of sample	Sampling Frequency
Suspended Solids	mg/l	8 hour composite	quarterly
Settleable Solids	mg/l	grab	quarterly
pH	pH Units	grab	quarterly
Flow	mgd	----	continuous"

4. The permittee shall report all chemicals used for the treatment and control of disease; the amount used; the date; and for chemicals other than salt (NaCl), the method use to demonstrate compliance with Prohibition A.2 of this Order.

Influent Monitoring

1. Sampling stations shall be established and located where representative samples of the influent from Lewiston Reservoir can be obtained.

2. Samples shall be collected at approximately the same time as effluent samples for comparative purposes.

3. The following schedule of sampling and analysis shall constitute the influent monitoring program:

"3. The following schedule of sampling and analysis shall constitute the influent monitoring program:

Constituent	Units	Type of Sample	Sampling Frequency
Suspended Solids	mg/l	8 hour composite	quarterly
Settleable Solids	ml/l	grab	quarterly"

Reporting

Quarterly monitoring periods shall coincide with calendar quarters. *Quarterly monitoring reports shall be submitted to the Board for each quarter by the 15th day of the following month. In reporting the monitoring data, the discharger shall arrange the data in tabular form so that the date, the constituents and the concentrations are readily discernible. The data shall be summarized in such a manner to illustrate clearly the compliance with waste discharge requirements. During periods of no discharge, the reports shall certify no discharge.

---

* Quarterly sampling events shall be conducted during the first month of each quarterly monitoring period (January, April, July and October)

Ordered by _____
Lee A. Michlin
Executive Officer

(TRHMON0)